



# WIRE PIN TERMINALS

## CRIMPING TYPE

Material : E-Copper-BS :1977

Surface : Tin Plated

CABLE mm <sup>2</sup>	A	C	D	D-1	B	J	CAT. No.
2.5	2.5	4.7	4.5	4.0	6	20	CEWP- 1
2.5	2.5	4.7	3.8	3.3	6	20	CEWP- 7
4	2.8	4.7	4.5	4.0	6	20	CEWP- 15
4	2.8	4.7	3.8	3.3	6	20	CEWP- 16
6	3.1	4.7	4.5	4.0	6	20	CEWP- 17
6	3.1	4.7	3.8	3.3	6	20	CEWP- 18
10	3.8	5.5	4.5	4.0	9	23	CEWP- 19
10	3.8	5.5	3.8	3.3	9	23	CEWP- 20
10	4.4	6.2	4.5	4.0	9	23	CEWP- 21
10	4.4	6.2	3.8	3.3	9	23	CEWP- 22
16	5.3	7.1	6.0	5.5	12	32	CEWP- 23
16	5.3	7.1	6.0	5.5	12	37	CEWP- 24
16	5.3	7.1	3.8	3.3	12	30	CEWP- 2
25	7.0	9.0	6.0	5.5	12	32	CEWP- 25
25	7.0	9.0	7.5	6.5	12	37	CEWP- 3
35	8.0	10.0	7.5	6.5	12	37	CEWP- 4
50	9.2	11.2	7.5	6.5	16	41	CEWP- 26
50	10.4	14.0	14.0	13.0	18	49	CEWP- 5
70	11.5	13.8	7.5	6.5	18	43	CEWP- 27
70	11.5	13.8	11.5	10.5	18	48	CEWP- 6
70	11.5	13.8	11.5	10.5	18	55	CEWP- 28
95	12.8	15.6	11.5	10.5	20	51	CEWP- 29
95	12.8	15.6	7.5	6.5	20	48	CEWP- 31
95	12.8	15.6	12.8	11.8	20	58	CEWP- 32
120	14.8	17.8	7.5	6.5	22	50	CEWP- 34
120	14.8	17.8	11.5	10.5	22	60	CEWP- 35
150	16.0	19.6	15.6	14.0	26	64	CEWP- 10
150	16.0	19.6	11.5	10.5	26	64	CEWP- 37
185	18.0	22.0	15.6	14.0	32	70	CEWP- 30
185	18.0	22.0	11.5	10.5	32	70	CEWP- 38
225	20.0	26.0	15.6	14.0	38	78	CEWP- 39
240	22.0	26.0	16.0	15.0	38	88	CEWP- 44
240	22.0	26.0	16.0	14.0	38	78	CEWP- 43
300	24.0	28.7	16.0	15.0	42	92	CEWP- 45
300	24.0	28.7	16.0	14.0	42	82	CEWP- 47
400	27.0	33.2	16.0	14.0	46	90	CEWP-101

